



PLOT DATA CORN



SOUTHEAST SOUTH DAKOTA

FARM: **DATE PLANTED:** 5/6/2021
LOCATION: Beresford, SD **DATE HARVESTED:** 10/10/2021
COUNTY: Lincoln **PLANTING RATE:** 34,000
ENTRIES: 19 **ROW WIDTH:** 30"

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O	TW
JS7424VT2PRO RIB	1	215.3	20.7%	57.2
JS7468VT2PRO RIB	2	207.7	19.4%	58.7
JS7001VT2PRO RIB	3	202.9	17.6%	59.1
JS4326	4	201.2	18.8%	59.7
JS6493R	5	201.1	18.9%	60.4
P0075Q	6	201.0	18.5%	59.5
P0688AM	7	199.7	21.0%	59.3
JS7107VT2PRO RIB	8	199.1	17.7%	58.6
JS7588VT2PRO RIB	9	196.1	21.8%	56.3
JS7443 3120A EZ REFUGRE	10	194.0	23.0%	55.1
JS4495	11	192.4	18.7%	56.8
JS9331SS RIB	12	192.1	19.4%	57.8
JS9391SS RIB	13	191.5	19.0%	59.5
JS4080	14	187.2	19.1%	59.2
P1185Q	15	185.4	22.4%	59.9
JS9135 5222 EZ REFUGRE	16	183.1	20.3%	59.5
JS7513VT2PRO RIB	17	181.8	20.4%	59.6
4095	18	177.8	17.3%	59.7
4412	19	173.7	22.0%	58.6





PLOT DATA CORN



WEST CENTRAL IOWA

1-20 OUT OF 34

FARM:	Carstensen	DATE PLANTED:	4/28/2021
LOCATION:	Odebolt, IA	DATE HARVESTED:	10/23/2021
COUNTY:	Sac	PLANTING RATE:	34,000
ENTRIES:	20	ROW WIDTH:	30

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O
P1366AM	1	304.7	16.1
P1587Q	2	303.2	16.7
P1353Q	3	301.5	16.5
P0924Q	4	296.4	17.5
Beck's 6374V2P	5	292.7	15.6
P0993AM	6	292.0	17.5
DKC59-82RIB	7	289.8	17.9
JS7736VT2PRO RIB 1	8	287.2	17.8
P1366Q	9	286.4	17.1
P1359AM	10	286.3	17.0
JS7832VT2PRO RIB 1	11	285.3	18.6
DKC57-71RIB	12	285.0	17.0
P1093Q	13	278.8	18.1
P0947Q	14	277.1	17.2
P0662Q	15	275.7	15.7
1244AM	16	272.9	16.4
P1185Q	17	272.8	17.9
P0995AM	18	270.1	16.7
P1108Q	19	269.5	19.0
P0404Q	20	269.2	15.2

This farm has a history of high management and high yields. Decades of manure and additional micronutrients leave the plants wanting for nothing. Fungicide, insecticide and foliar feeding are also part of the program.



PLOT DATA CORN



JACOBSEN SEED IOWA SHOWCASE FIELD

FARM: Iowa Showcase Field **DATE PLANTED:** 5/11/21
LOCATION: Lake View, IA **DATE HARVESTED:** 10/11/21
COUNTY: Sac **PLANTING RATE:** 33,100
ENTRIES: 30 **ROW WIDTH:** 30"

PLANTING ORDER	HYBRID	YIELD @ 15%	MOISTURE	TEST WEIGHT	RANK BY YIELD
1	CHECK - JS7513VT2PRO	208.6	16.5	58.6	16
2	JS9326SS RIB	215.3	15.4	57.7	11
3	JS9391SS RIB	191.4	16.8	59.1	28
4	JS9331SS RIB	199.1	16.2	56.8	24
5	JS9668SS RIB	214.4	18.0	56.6	12
6	JS7001VT2PRO RIB	187.3	15.4	56.5	29
7	JS7107VT2PRO RIB	199.8	15.3	57.7	22
8	CHECK - JS7513VT2PRO	216.8	16.9	58.9	8
9	JS7424VT2PRO RIB	205.7	17.3	57.0	17
10	JS7443 3120A EZ REFUGE	198.7	17.6	57.0	25
11	JS7468VT2PRO RIB	204.9	17.4	57.4	18
12	JS7513VT2PRO RIB	224.6	17.4	58.5	5
13	JS7588VT2PRO RIB	216.9	18.3	57.5	7
14	JS7618 3220 EZ REFUGE	196.5	21.0	55.5	27
15	CHECK - JS7513VT2PRO	216.5	19.0	57.0	9
16	JS7607VT2PRO RIB	212.4	18.4	57.7	13
17	JS7736VT2PRO RIB	222.8	20.6	56.9	6
18	JS7748VT2PRO RIB	211.4	21.4	57.8	14
19	JS7723 3120 EZ REFUGE	204.6	23.1	55.1	19
20	JS7832VT2PRO RIB	215.6	22.2	55.0	10
21	JS6493R	199.2	17.6	57.1	23
22	CHECK - JS7513VT2PRO	210.6	18.0	58.1	15
23	JS4095	184.2	15.7	57.4	30
24	JS4080	198.2	16.8	59.8	26
25	JS4412	200.6	17.8	57.8	21
26	JS4495	201.5	18.0	56.9	20
27	JS4513	226.4	19.0	57.4	4
28	JS4748	243	20.2	56.9	1
29	JS4761	233.3	20.5	57.6	3
30	CHECK - JS7513VT2PRO	235.5	18.6	58.9	2

PLEASE NOTE that this plot has been left in planting order due to variation in CHECKS June and into July were exceptionally dry but the plot caught timely rains towards the end of July and into August. The plot has 180lbs N applied at UAN in the spring and worked in. No fungicide was applied.



PLOT DATA CORN



WEST CENTRAL IOWA

FARM:	Schultz	DATE PLANTED:	5/11/2021
LOCATION:	Lake View, IA	DATE HARVESTED:	11/5/2021
COUNTY:	Sac	PLANTING RATE:	34,000
ENTRIES:	15	ROW WIDTH:	30

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O
JS7736VT2PRO RIB	1	243.5	17.9
JS9588SS RIB	2	240.7	17.1
EX92	3	235.0	15.5
JS9668SS RIB	4	234.1	18.3
JS7832VT2PRO RIB	5	232.2	18.6
JS7607VT2PRO RIB	6	228.8	17.3
P1366	7	223.9	17.4
JS7424VT2PRO RIB	8	218.8	15.8
JS7713VT2PRO RIB	9	218.8	16.8
JS7748VT2PRO RIB	10	218.2	19.7
JS7443 3120A EZ REFUGE	11	216.7	16.1
P1185	12	213.8	17.9
JS7513 VT2PRO RIB	13	210.7	16.8
JS6493R	14	205.2	15.5
JS7618 3220 EZ REFUGE	15	204.5	18.2

This farm had 150# of N applied as spring NH3 and no fungicide or insecticide.



PLOT DATA CORN



WEST CENTRAL IOWA

FARM:	Aschinger	DATE PLANTED:	5/12/2021
LOCATION:	Wall Lake, IA	DATE HARVESTED:	11/09/2021
COUNTY:	Sac	PLANTING RATE:	34,500
ENTRIES:	21	ROW WIDTH:	30"

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O
JS7736VT2PRO RIB	1	278.5	17.3
JS7832VT2PRO RIB	2	277.9	19.0
JS7424VT2PRO RIB	3	274.2	15.4
JS7607VT2PRO RIB	4	270.1	16.5
JS7331VT2PRO RIB	5	268.1	14.8
P1185	6	263.8	16.3
JS9668SS RIB	7	263.8	17.4
JS7588VT2PRO RIB	8	263.5	15.1
RC6097	9	257.9	17.1
JS7713VT2PRO RIB	10	257.1	16.4
JS7468VT2PRO RIB	11	257.0	15.8
JS7443 3120A EZ REFUGE	12	256.4	15.8
JS7748VT2PRO RIB	13	254.5	18.5
P1366	14	254.4	16.5
JS7618 3220 EZ REFUGE	15	251.4	17.5
JS9391SS RIB	16	245.9	16.0
JS7723	17	245.8	19.5
P0688AM	18	244.1	15.8
Innotech 5723-5122	19	238.8	16.4
JS6493R	20	237.7	15.3
Innotech 6426-3220	21	237.5	18.3

This is a high yielding field with a history of hog manure. High N rates along with fungicide/insecticide allow for top yields.



PLOT DATA CORN



NORTH CENTRAL IOWA

Entry 1-20 of 29

FARM: Behlan

DATE PLANTED: 5/4/2021

LOCATION: Columbus, NE

DATE HARVESTED: 11/2/2021

COUNTY: Platte

PLANTING RATE: 30,000

ENTRIES: 20


ROW WIDTH: 36

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O	
H8531Q	1	277.5	17.7	59.5
JS7607VT2PRO RIB	2	276.6	17.0	60.5
RC6585-3220	3	275.8	18.2	57.5
H8447AM	4	271.6	17.9	59.3
JSEX23	5	271.2	17.0	61.2
JS7736VT2PRO RIB	6	270.8	18.9	61.4
JS7588VT2PRO RIB	7	269.9	17.0	60.5
H8009AM	8	269.2	16.4	59.4
IC6653-3120A	9	269.0	19.0	57.1
JS7424VT2PRO RIB	10	267.3	16.0	60.5
RC6038-3220A	11	267.3	16.5	59.2
RC6001-3220	12	266.5	15.4	57.4
H8233AM	13	266.3	16.8	60.5
H7990Q	14	266.2	16.5	58.0
JSEX31	15	266.1	16.7	60.7
RC6001-3220	16	265.1	15.7	57.6
RC5940-3220A	17	265.1	16.7	58.4
JS7713VT2PRO RIB	18	264.9	16.9	60.5
RC5913-3220	19	263.2	15.6	55.4
RC6829-3111	20	261.9	19.6	57.4

This is an irrigated plot on bean stubble. Competitor corn is Rob-See-Co (RC), Hoegmeyer (H) and Innotech (IC)



PLOT DATA CORN



NORTHWEST IOWA


FARM: Lynott **DATE PLANTED:** 4/30/2021
LOCATION: Hawarden, Iowa **DATE HARVESTED:** 10/12/2021
COUNTY: Sioux **PLANTING RATE:** 36,000
ENTRIES: 24 **ROW WIDTH:** 30

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O	TEST WEIGHT
NK 1082-5222	1	289.2	21.0	53.0
JS7513VT2PRO RIB	2	286.6	19.3	57.4
JS7588VT2PRO RIB	3	286.6	19.8	55.9
EX92	4	281.7	18.7	55.5
JS7607VT2PRO RIB	5	277.8	22.5	54.2
JS7723-3120	6	276.9	23.9	51.5
JS4613	7	276.7	22.1	54.1
JS4748	8	269.5	22.2	55.0
NK 0478-5122	9	267.3	21.1	54.0
JS7391VT2PRO RIB	10	264.9	17.3	58.9
NK 0472-5222	11	260.1	18.5	58.0
JS4495	12	259.9	19.4	54.3
JS7424VT2PRO RIB	13	258.9	19.1	56.6
JS7443-3120	14	258.5	21.7	53.8
JS9135-5222	15	258.1	18.6	58.0
JS7001VT2PRO RIB	16	257.8	15.8	58.0
JS9391VT2PRO	17	256.7	17.6	58.6
NK 0314-5122	18	256.2	18.9	58.1
JS7331VT2PRO RIB	19	254.7	17.1	56.7
JS4412	20	254.6	19.4	56.8
JS7107VT2PRO RIB	21	253.8	16.2	58.0
JS7618-3220	22	253.2	23.3	51.3
JS6493R	23	248.6	16.4	58.4
JS4493	24	239.6	17.0	58.6

This is a high management scenario with irrigation, manure, extra nitrogen and fungicide/insecticide.



PLOT DATA CORN



WEST CENTRAL IOWA


FARM:	Werner	DATE PLANTED:	5/13/2021
LOCATION:	Sac City, IA	DATE HARVESTED:	10/18/2021
COUNTY:	Sac	PLANTING RATE:	33,000
ENTRIES:	19	ROW WIDTH:	30"

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O
JS9668SS RIB	1	268.9	18.2
JS7588VT2PRO RIB	2	257.0	17.3
JS7607VT2PRO RIB	3	255.3	17.0
EX92	4	245.8	15.4
JS7748VT2PRO RIB	5	242.6	20.1
JS9331VT2PRO RIB	6	241.4	14.0
JS7513 VT2PRO RIB	7	241.4	16.9
JS7736VT2PRO RIB	8	240.5	18.2
JS7713VT2PRO RIB	9	239.4	16.6
JS7424VT2PRO RIB	10	239.1	15.1
JS7468VT2PRO RIB	11	238.7	15.0
JS7618 3220 EZ REFUGE	12	235.3	18.8
P1185	13	231.3	17.7
JS9135 5222 EZ REFUGE	14	227.9	15.1
P0688	15	225.2	15.3
JS6493R	16	224.6	14.2
JS7443 3120A EZ REFUGE	17	222.4	15.9
JS7107VT2PRO RIB	18	220.1	15.8
JS7391VT2PRO RIB	19	214.5	14.2

This plot is in a reduced tillage scenario. 150lbs of N were applied with UAN in the spring. Very timely rains made up for the fact that this field was about 4.5" short of rainfall compared to the 10 year average. No fungicide was applied.



PLOT DATA CORN



EAST CENTRAL NEBRASKA

FARM:		DATE PLANTED:	4/26/2021
LOCATION:	Stanton, NE	DATE HARVESTED:	10/19/2021
COUNTY:	Stanton	PLANTING RATE:	34,000
ENTRIES:	28	ROW WIDTH:	30"

HYBRID	RANK	BU/ACRE @ 15% Moisture	% H2O	TW
JS6493R	1	275.5	14.4	64.6
JS7607VT2PRO RIB	2	274.4	16.6	62.2
JS7513VT2PRO RIB	3	272.2	16.0	62.7
JS7588VT2PRO RIB	4	266.9	17.2	61.4
JS7424VT2PRO RIB	5	265.7	15.0	63.9
JS7832VT2 PRO RIB	6	264.6	18.1	60.7
P1185Q	7	259.7	17.1	61.8
JS4412	8	257.3	15.6	63.2
JS7001VT2	9	255.4	13.7	65.3
JS7618 3220 EZ REFUGE	10	251.7	17.9	60.8
JS9331SS RIB	11	251.0	14.2	64.8
JS4495	12	245.8	16.2	62.4
P1082AM	13	245.5	15.9	62.8
P1366Q	14	245.0	14.8	64.1
JS4761	15	243.7	18.0	61.0
JS7713	16	243.5	16.6	62.1
JS7736	17	238.4	18.2	60.7
JS9391SS RIB	18	233.9	14.6	64.5
JS7107VT2PRO RIB	19	233.8	14.1	64.8
JS9135 5222 EZ REFUGRE	20	229.3	15.1	63.7
JS4080	21	221.8	15.3	63.6
JS4095	22	220.9	13.8	65.2
JS7468VT2PRO RIB	23	219.4	15.2	63.6
JS9668SS RIB	24	216.5	17.9	60.9
JS7748VT2PRO RIB	25	206.1	18.4	60.6
JS4326	26	194.4	14.1	64.9
P0688Q	27	188.5	14.5	64.4
JS7443 3120A EZ REFUGRE	28	171.6	17.2	61.4

This is a high yielding, irrigated plot on rotated ground. This field did experience severe weather late in June causing green snap.